

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1889	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:11
S2	231	S1 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S3	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:41
S4	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S5	167	S4 and (input ingress) and (output engress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S6	139	S5 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:38
S7	1	S6 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:32
S8	127	S6 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S9	1	S8 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39

EAST Search History

S10	23	S8 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S11	0	S10 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S12	23	S10 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S13	16	S10 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S14	1	"6687247"	USPAT	OR	OFF	2004/12/02 10:48
S15	2	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43
S16	2163	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/05 10:30
S17	6	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/29 09:32
S18	5	"6724757"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/11/29 09:32
S19	30	router\$2 with couple with (interface near10 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 11:09

EAST Search History

S20	16	S19 and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:27
S21	876	(server with interface with card\$2) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:35
S22	93	(server with interface with card\$2) and (server with rout\$4 with table) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:56
S23	22	"5948069"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 14:56
S24	1	"5948069" and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S25	0	"5948069" and S22 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:17
S26	0	"5948069" and S22 and (fail near10 over)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S27	0	"5948069" and S22 and (fail\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 15:18
S28	354	(server with NICs) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S29	21	S28 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:49

EAST Search History

S30	354	(server with NICS) and (server with rout\$4) and (@ad<"20010508"@rlad<"20010508"@pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S31	8358	3and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S32	21	S30 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:38
S33	3	"6553408" and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 16:50
S34	3	"6553408" and failover and NICS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:08
S35	2233	709/213	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:08
S36	2723	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S37	355	S36 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S38	355	S37 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S39	355	S37 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

S40	246	S39 and (input ingress) and (output engress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S41	199	S40 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S42	2	S41 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S43	184	S41 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S44	2	S43 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S45	30	S43 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S46	0	S45 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S47	30	S43 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S48	30	S45 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S49	16	S45 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

S50	11	"6687247"	USPAT	OR	OFF	2006/03/17 18:09
S51	11	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S52	2723	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S53	11	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S54	7	"6724757"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S55	30	router\$2 with couple with (interface near10 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S56	16	S55 and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S57	876	(server with interface with card\$2) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S58	93	(server with interface with card\$2) and (server with rout\$4 with table) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S59	22	"5948069"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

S60	1	"5948069" and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S61	0	"5948069" and S58 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S62	0	"5948069" and S58 and (fail near10 over)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S63	0	"5948069" and S58 and (fail\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S64	354	(server with NICs) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S65	21	S64 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S66	354	(server with NICS) and (server with rout\$4) and (@ad<"20010508" @rlad<"20010508" @pd<"20010508")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S67	8358	3and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S68	21	S66 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S69	3	"6553408" and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09

EAST Search History

S70	3	"6553408" and failover and NICS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/03/17 18:09
S71	14	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 14:14
S72	22	"6553408"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 14:14
S73	2361	709/213	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 17:00
S74	9132	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/31 17:00
S75	24	"6348971"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/01 10:19
S76	17	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:12
S77	23227177	ad@<"20010508" @rlad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:41
S78	483	router\$2 near5 (interface near2 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:42
S79	483	S78 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 11:00

EAST Search History

S80	130	S79 and (rout\$3 near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:50
S81	132	S79 and (rout\$5 near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:52
S82	12057	routing near2 table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:52
S83	100	S82 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:50
S84	101	S79 and (routing near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:53
S85	101	S78 and (routing near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:54
S86	101	S85 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:53
S87	12837	S77 and (routing near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 10:54
S89	483	router\$2 near5 (interface near2 card\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 11:00
S90	101	S89 and (routing near3 table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 11:00

EAST Search History

S91	101	S90 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 11:00
S92	101	S91	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/22 11:01